

Trussing Stages

TS 3.5




Trussing Width 9m Height 4m Depth 6m
Decking Width 8m Height 0.6m Depth 6m

www.plrs.co.uk

Trussing Stage

TS3.5




TS3.5 Stage

Width	Depth	Height
9m	6m	4m
Decking		
8m	6m	0.6m
Set Up / Breakdown		
Estimated Time	Free Days Prior*	Free Days After*
3 Hours	0	0

Trussing Stage

TS3.5

Steps / Ramp to Decking



TS3.5 Stage Branding Options


Type	Height	Width	Fixing
Backdrop	2m	2m	Eyelets
Skirt	0.6m	8m	Top: Velcro (Loops) Bottom: Eyelets



Rear of Stage
Backdrop



Front of Stage Skirting



Trussing Stage

TS3.5

				Stage TS3.5
				Stage Type
				Roof & Back
Wind Speed			Surface Area (m2)	152
			Mass / Downforce(kg)	2740
BF	km/h	mph	m/s	
3	13	8	3.6	0
3	16	10	4.5	0
3	19	12	5.4	0
4	23	14	6.3	0
4	26	16	7.2	0
5	29	18	8.0	0
5	32	20	8.9	0
5	35	22	9.8	0
5	39	24	10.7	0
6	42	26	11.6	0
6	45	28	12.5	0
6	48	30	13.4	0
7	51	32	14.3	34
7	55	34	15.2	392
7	58	36	16.1	771
7	61	38	17.0	1172
8	64	40	17.9	1595
8	68	42	18.8	2039
8	71	44	19.7	2505
8	74	46	20.6	2993
9	77	48	21.5	3502
9	80	50	22.4	4034
9	84	52	23.2	4586
9	87	54	24.1	5161
10	90	56	25.0	5757
10	93	58	25.9	6374
10	97	60	26.8	7014

Action Level	Action
Green	Monitor wind speed at regular intervals
Yellow	Prepare to halt construction/performance until safe conditions have resumed.
Amber	Assess risk and instigate mitigation measures ie removal of side covers and/or roof. Prepare for evacuation.
Red	Evacuate site. Do not return until conditions have improved. No one to approach stage until PLRS have assessed structural integrity.