

Trussing Stage

TS5



Trussing Stage

TS5



TS5 Stage


Width	Depth	Height
9m	6m	4.5m
Decking		
8m	6m	1m
Advertising Wings (Banner not included)		
1.75m	0m	3m
Set Up / Breakdown (*When hired as part of package)		
Estimated Time	Free Days Prior*	Free Days After*
5 Hours	1	1

Trussing Stage

TS5


Overhead View

Steps to Decking



TS5 Stage Branding Options

Type	Height	Width	Fixing
Wing (x2)	3m	1.75m	Eyelets
Backdrop	2.4m	8m	Eyelets
Skirt	1m	8m	Top: Velcro (Loops) Bottom: Eyelets



Trussing Stage

TS5

			Trussing Stage (TS5) 8 x Stakes/Ground Anchors
			Roof, Back & Sides
Stage Type			
Surface Area (m ²)			128
Mass / Downforce (kg)			2200
Wind Speed			
BF	mph	m/s	
3	8	3.6	Green
3	10	4.5	Green
3	12	5.4	Green
4	14	6.3	Green
4	16	7.2	Green
5	18	8.0	Green
5	20	8.9	Green
5	22	9.8	Green
5	24	10.7	Green
6	26	11.6	Green
6	28	12.5	Yellow
6	30	13.4	Yellow
7	32	14.3	Yellow
7	34	15.2	Yellow
7	36	16.1	Red
7	38	17.0	Red
8	40	17.9	Red
8	42	18.8	Red
8	44	19.7	Red
8	46	20.6	Red
9	48	21.5	Red
9	50	22.4	Red
9	52	23.2	Red
9	54	24.1	Red
10	56	25.0	Red
10	58	25.9	Red
10	60	26.8	Red

Action Level	Action
Green	Monitor wind speed at regular
Yellow	Prepare to halt construction/ performance until safe conditions have resumed.
Amber	Assess risk and instigate mitigation measures ie removal of side covers and/or roof. Pre-
Red	Evacuate site. Do not return until conditions have improved. No one to approach stage until PLRS have assessed structural integrity.